



Made to *Impress*

Available in Black and Purple

Multifunction Refillable Ink Tank Printer with Low-Cost Ink Bottles

This high-performance 3-in-1 printer combines low-cost printing and maintenance together, alongside being compatible with low-cost ink bottles for greater cost efficiency.

UP TO
8,100*
COLOUR PAGES

UP TO
7,600*
MONO PAGES

*Economy Mode



COMPATIBLE LOW-COST INK BOTTLES

Small and standard ink bottles are available to meet the different requirements in print volume.

*Published highest yield is achievable based on standard ink bottle and printing on Economy mode. For more details, refer to specifications on underside of label.

EASY, HASSLE-FREE INK REFILLING

Ink refilling is now made easy. Each ink bottle nozzle is designed to fit seamlessly only into the designated ink tank, eliminating potential mixing accidents.

EASY MAINTENANCE

The easy-to-replace maintenance cartridge makes maintenance fuss-free and extends the printer's lifespan even when printing in high volumes.

COMPACT, SPACE SAVING FOOTPRINT

The printer's compact footprint allows it to fit into tight spaces with ease.



SPECIFICATIONS / PIXMA G2730

PRINT	Maximum Printing Resolution*		4800 (horizontal) x 1200 (vertical) dpi	
	Print Speed**	eSAT/Simplex (Mono/Colour)	11 / 6 ipm	
		eFOT Ready/Simplex (Mono/Colour)	9 / 14 sec	
	Photo (4 x 6")		45 sec	
SCAN*	Scanner Type		Flatbed	
	Scanning Method		Contact Image Sensor (CIS)	
	Optical Resolution**		600 x 1200 dpi	
	Maximum Document Size		A4, LTR (216 x 297 mm)	
COPY	Copy Speed**	Colour	23 sec	
		eSAT/Simplex	2.7 ipm	
	Maximum Copies		21 pages	
	Maximum Document Size		A4, LTR	
PAPER HANDLING	Maximum Input Capacity	Plain Paper (84 g/m ²)	Up to 100 sheets	
		Photo Paper (4 x 6")	Up to 20 sheets	
	Media Size		A4, A5, A6, B5, LTR, LGL, Executive, Legal, Foolcap, F4, Office2, B-Office, M-Office, Envelope (COM10, DL, C5, Monarch), Card Size (91 x 55 mm), 4 x 6", 5 x 7", 7 x 8", 8 x 10", Square (89 x 89 mm, 127 x 127 mm), Custom (width: 55 - 216 mm, length: 89 - 1200 mm)	
	Media Type		Plain Paper (54 - 105 g/m ²) High Resolution Paper (H140IN) Photo Paper Plus Glossy II (FP-201, FP-208) Photo Paper Plus Semi-Gloss (SG-201) Photo Paper Pro Luster (LU-101) Matte Photo Paper (MP-101) Double-Sided Matte Paper (MP-101B) Photo Stickers (PS-208/PS-808) Envelope	
SYSTEM REQUIREMENTS & GENERAL SPECIFICATIONS	Operating System Compatibility	Please visit http://usa.canon.com to confirm OS compatibility and to download the latest drivers.		
	Interface	USB 2.0		
	Power	AC 100 - 240 V, 50/60 Hz		
	Power Consumption**	15 W (Standby: 0.5 W)		
	Duty Cycle	Up to 3,000 pages/month		
	Recommended Monthly Print Volume	50 - 1500 pages		
	Dimensions (W x D x H)	Factory Configuration	416 x 337 x 177 mm	
		Output/ADF Tray Extended	416 x 557 x 258 mm	
	Weight	5 kg		
CONSUMABLES	Ink Bottles	Size	Standard / Small	
		Type/Colour	GI-71 / GI-75 (Standard)	
	Page Yield**	Plain Paper	Pigment Ink / Black Dye-Based Ink / Cyan, Magenta, Yellow	
		Photo Paper (FP-201)	A4 Colour Documents* GI-71 PGBK: 6,000 (Economy Mode**): 7,500 GI-71 C, M, Y: 7,700 (Economy Mode**): 8,100 GI-75 PGBK: 3,100 (Economy Mode**): 3,900 GI-75 C, M, Y: 4,400 (Economy Mode**): 4,600	
	Use Replenishable Maintenance Cartridge	4 x 6" Photos* GI-71 PGBK-NA / GI-71 C, M, Y: 2,200 GI-75 PGBK-NA / GI-75 C, M, Y: 1,200		
	MC-G04			

Specifications are subject to change without notice.

- * Ink droplets can be placed with a pitch of 1/4800 inch at minimum.
- ** Document print speeds are the averages of eSAT (Word, Excel, PDF) in Office Category Test for the default simplex mode, ISO/IEC 24734. Photo print speed is based on the default setting using ISO/IEC SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- * TWAIN driver (ScanGear) is based on the TWAIN specification V1.9 and requires the Data Source Manager comes with the operating system.
- ** Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14703 standard. Optical resolution scan is available, only when you use TWAIN Driver.
- ** Copy speeds are the average of eFOT and eSAT, ISO/IEC 29183. Copy speeds (ADF) are eSAT of copy in sequence, ISO/IEC 24735. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warm up time.
- * Operation can only be guaranteed on a PC with a pre-installed Windows 7 or later.
- ** When copying ISO/IEC SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- ** Page yields may vary depending on content coverage, print settings, temperature, humidity, and frequency of printing. Package contains GI-75 (Black, Cyan, Magenta, and Yellow) ink bottles.
- ** Declared yield value is the estimated value based on Canon individual test method using the ISO/IEC 24732 colour chart and continuous printing simulation with the replacement ink bottles after initial setup. The colour yield is based on 1 set of composite colour bottles.
- ** The Economy mode reduces the ink consumption by lowering the density. More pages can be printed using this mode.
- ** Declared yield value is the estimated value based on Canon individual test method using the ISO/IEC 29183 chart and continuous printing simulation with the replacement ink bottles after initial setup. Black ink is not used when printing under this condition. However, a minimal amount of black ink is used for maintenance purposes.



SOUTH AND SOUTHEAST ASIA REGIONAL HEADQUARTERS
CANON SINGAPORE PTE. LTD.
 1 Fusionopolis Place, #14-10 Galaxis, Singapore 138522
 Tel : 65-6799-8888 | Fax : 65-6799-8882 | <https://asia.canon>

DEALER'S STAMP

This document is for information purpose only. The contents are subject to change without notice. Product options, name and availability may vary by regions. We expressly disclaim any liability or contractual obligations with respect to this document. Brands and product names are trademarks and/or registered trademarks of their respective owners.